



Docket H10490KLL
Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Douglas William DeHollander, et al

APPARATUS AND METHOD FOR
DAMPING A CORONA WIRE IN AN
ELECTROGRAPHIC PRINTER

Serial No. 10/668,938

Filed 23 September 2003

Group Art Unit: 2852

Examiner: GRAINGER, QUANA MASHELL

I hereby certify that this correspondence is being
deposited today with the United States Postal
Service as first class mail in an envelope addressed
to Commissioner For Patents, P.O. Box 1450,
Alexandria, VA 22313-1450.

Theresa A. Michalek
Theresa A. Michalek

December 2, 2004
Date

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Transmitted herewith is an amendment in the above-identified application:

☒ No additional fee is required.

☐ The fee has been calculated as shown below:

	(Col. 1)		(Col. 2)	(Col. 3)	OTHER THAN A SMALL ENTITY	
	CLAIMS REMAINING AFTER AMENDMENT		* HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL	19	MINUS	20	0	X 18	\$0
INDEP	13	MINUS	13	0	X 88	\$0
<input type="checkbox"/>	FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM				+ 300	\$ 0
					TOTAL	\$0

* The "Highest Number Previously Paid For" (Total or Independent) is the highest number found from the equivalent box in Col. 1 of a prior amendment or the number of claims originally filed.

☐ Please charge American Express Credit Card (see attached form PTO-2038) \$0.

A duplicate copy of this sheet is enclosed

☒ The Commissioner is hereby authorized to charge payment of
the following fees associated with this communication or credit any overpayment to Eastman Kodak
Company Deposit Account No. 05-0225

A duplicate copy of this sheet is enclosed

☒ Any additional filing fees required under 37 CFR 1.16.

☒ Any patent application processing fees under 37 CFR 1.17.

(For Extensions of Time and other Petitions to the Assistant Commissioner)

Mark G. Bocchetti/TAM
Telephone: 585-477-3395
Facsimile: 585-477-4646

Mark G. Bocchetti
Attorney for Applicants
Registration No. 31,330

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.



1FW

Docket H10490/KLL
Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Douglas William DeHollander, et al

APPARATUS AND METHOD FOR
DAMPING A CORONA WIRE IN
AN ELECTROGRAPHIC
PRINTER

Serial No.: 10/668,938

Filed: 23 September 2003

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Group Art Unit: 2852

Examiner: GRAINGER, QUANA MASHELL

SIR:

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

In response to the office action mailed November 18, 2004, please amend the above-identified application, without prejudice, as set forth below:

Amendments to the Drawings begin on page 2 of this paper and include an attached replacement sheet and an annotated sheet showing the changes.

Remarks/Arguments begin on page 3 of this paper.